

AMENDMENT UNDER 37 C.F.R. § 1.116  
U.S. Application No. 09/298,910  
Attorney Docket No. Q54131

E1  
concl'd  
a base station in radio communication with said means for producing dialing signals, said base station including means for deciding whether a dialing signal represents a final digit of a dialed telephone number or not, wherein

said means for producing dialing signals includes a telephone set having a dial pad with keys, a dialing signal being generated when a key of said dial pad is pushed.

12. (Currently Amended) A radio access system comprising:

means for producing dialing signals;

means for transmitting the dialing signals to a base station control station each time they are produced; and

E2  
concl'd  
said base station control station in radio communication with said means for producing dialing signals, said base station control station including means for deciding whether a dialing signal represents a final digit of a dialed telephone number or not, wherein

said means for producing dialing signals includes a telephone set having a dial pad with keys, a dialing signal being generated when a key of said dial pad is pushed.

E3  
concl'd  
14. (Currently Amended) A radio access system comprising:

means for producing dialing signals;

means for transmitting the dialing signals to a base station control station each time they are produced;

a base station in radio communication with said means for producing dialing signals; and

*E3 could*  
said base station control station in radio communication with said means for producing dialing signals through said base station, said base station control station including means for deciding whether a dialing signal represents a final digit of a dialed telephone number or not, wherein

said means for producing dialing signals includes a telephone set having a dial pad with keys, a dialing signal being generated when a key of said dial pad is pushed.

---

16. (Currently Amended) A radio access method comprising the steps of:

producing dialing signals when a key of a dial pad is pushed;

transmitting dialing signals to a base station control station each time they are produced;

*E4 cont*  
and

deciding at a base station whether a dialing signal represents a final digit of a dialed telephone number or not.

17. (Currently Amended) A radio access method comprising the steps of:

producing dialing signals when a key of a dial pad is pushed;

AMENDMENT UNDER 37 C.F.R. § 1.116  
U.S. Application No. 09/298,910  
Attorney Docket No. Q54131

transmitting dialing signals to a base station control station each time they are produced;

E4  
cond and

deciding at said base station control station whether a dialing signal represents a final

digit of a dialed telephone number or not.

---